

CONTENTS

| Introduction | 3 |
|----------------------|-------|
| Collections | 4 |
| Technical | 5 |
| Original Overview | 6-9 |
| Massimo Overview | 10-15 |
| Inlay Accessories | 16-17 |
| Item Codes | 18-21 |
| Photography | 22-27 |
| Design Floors | 28-29 |
| Sales Support Items | 30-33 |
| Website & Visualiser | 34-35 |

INTRODUCTION

This briefing document will guide you through everything associated with the launch of the new TLC collection including product, inlay accessories, technical details and the key new sales support items.

The stunning update to the Original and Massimo TLC luxury vinyl tile collections has introduced trend-led and inspirational small and large parquet designs to complement the existing, well-balanced TLC portfolio. Original is suitable for use in residential and light to moderate commercial applications, whereas Massimo is suitable for heavy commercial installations, but also looks amazing in the home.

An extensive marketing and sales support package has been compiled to present both ranges. This includes product brochures, shadecards, large retail presenters and a brand-new parquet presentation box. Each new item contains inspirational photography, displaying numerous full plank design floors. We are also updating the website and flooring visualiser.

THE COLLECTIONS

- We have renamed the Forest & Mineral collection to Original.
- We have merged and condensed Massimo Invent into the Massimo collection.

Original

- 2mm/0.3mm wear layer
- 20 woods & 2 stones
- 4 discontinuations

Massimo

- 2.5mm/0.55mm wear layer
- 18 woods, 6 small parquets, 6 large parquets & 4 stones
- 8 Massimo Invent discontinuations
- A range of inlay accessories including grouting, feature, marquetry and cross grain marquetry strips
- Original has a 15 year residential guarantee
- Massimo has a lifetime residential and 15 year commercial guarantee

BRANDING



Parent Brand



TECHNICAL SPECIFICATION

| Original | | | | |
|--|-------------------------|--|--|--|
| Specifications | Description | Result | | |
| ISO 10582 (EN 649) | General | Conforms | | |
| ISO 24346 (EN 428) | Gauge | 2.0mm | | |
| 100 0 40 40 (FN 400) | Wear Layer | 0.3mm | | |
| ISO 24340 (EN 429) | Surface Treatment | Polyurethane (PU) | | |
| | Plank Size | 152.4 x 914.4mm = 3.34m²/box 184.2 x 1219.2mm = 3.37m²/box | | |
| ISO 24342 (EN 427) | Tile Size | 304.8 x 304.8mm = 3.34m ² /box 457.2 x 457.2mm = 3.34m ² /box | | |
| ISO 10874 (EN 685) | Use Area Classification | Heavy Domestic Moderate Commercial (23/31) | | |
| EN 12524 | Thermal Conductivity | 0.25 W/(m.K) | | |
| | Underfloor Heating | Suitable. Max 27°C | | |
| EN 13501-1 | Behaviour to Fire | Bfl - S1 | | |
| EN 13893 DIN 51130 / DIN EN 16165 Ann. B. | Slip Resistance | Class DS (dry condition) R10 | | |



| Massimo | | | | | |
|--|-------------------------|---|--|--|--|
| Specifications | Description | Result | | | |
| ISO 10582 (EN 649) | General | Conforms | | | |
| ISO 24346 (EN 428) | Gauge | 2.5mm | | | |
| ICO 04240 (EN 400) | Wear Layer | 0.55mm | | | |
| ISO 24340 (EN 429) | Surface Treatment | Polyurethane (PU) | | | |
| ISO 24342 (EN 427) | Plank Size | 76.2 x 228.6mm = 3.34m²/box 101.6 x 609.6 = 3.34m²/box 184.2 x 1219.2mm = 3.37m²/box 76.2/101.6/152.4 x 914.4 = 3.62m²/box | | | |
| | Tile Size | 304.8 x 609.6mm = 3.34m ² /box | | | |
| ISO 10874 (EN 685) | Use Area Classification | Heavy Domestic Heavy Commercial (23/33/42) | | | |
| EN 12524 | Thermal Conductivity | 0.25 W/(m.K) | | | |
| | Underfloor Heating | Suitable. Max 27°C | | | |
| EN 13501-1 | Behaviour to Fire | Bfl - S1 | | | |
| EN 13893 DIN 51130 / DIN EN 16165 Ann. B. | Slip Resistance | Class DS (dry condition) R10 | | | |







Original

Original | Wood



5191 Venetian Oak 184.2 x 1219.2mm (7.25" x 48")



5193 Frosted Driftwood 184.2 x 1219.2mm (7.25" x 48")



5192 Grizedale Oak 184.2 x 1219.2mm (7.25" x 48")



5195 Dartmouth Oak 184.2 x 1219.2mm (7.25" x 48")



5135 Coach House Oak * 184.2 x 1219.2mm (7.25" x 48")



5132 Sun Blushed Oak * 184.2 x 1219.2mm (7.25" x 48")

Original | Wood



5130 Kensington Oak 184.2 x 1219.2mm (7.25" x 48)



5131 Henley Oak 184.2 x 1219.2mm (7.25" x 48)



5194 Kendal Oak 184.2 x 1219.2mm (7.25" x 48")



5134 Grey Sawn Oak * 184.2 x 1219.2mm (7.25" x 48")



5133 Chester Oak 184.2 x 1219.2mm (7.25" x 48")



5136 Courtyard Oak 184.2 x 1219.2mm (7.25" x 48")

$\mathbf{Original} \mid \mathsf{Wood}$



5183 Rustic Birch 152.4 x 914.4mm (6" x 36")



5175 Classic Oak 152.4 x 914.4mm (6" x 36")



5176 Cambridge Oak 152.4 x 914.4mm (6" x 36")



5174 Country Oak 152.4 x 914.4mm (6" x 36")



5177 Barn Oak 152.4 x 914.4mm (6" x 36")



5181 Rustic Oak 152.4 x 914.4mm (6" x 36")



5179 Walnut 152.4 x 914.4mm (6" x 36)



5182 Rustic Cherry 152.4 x 914.4mm (6" x 36")

Original | Stone



5198 Chalked Concrete 457.2 x 457.2mm (18" x 18")



5187 Antique Slate 304.8 x 304.8mm (12" x 12")

Mass

Massimo | Small Parquet

SPQ5264 Warm Barnwood Small Parquet *

SPQ5263 English Oak Small Parquet *

SPQ5266 Golden Oak Small Parquet *

SPQ5274 Fairview Oak Small Parquet *

SPQ5275 Hampstead Oak Small Parquet *

76.2 x 228.6mm (3" x 9")

Massimo | Large Parquet



 SPQ5277 Blond Oak Small Parquet *

 76.2 x 228.6mm (3" x 9")
 LPQ5277 Blond Oak Large Parquet *

 101.6 x 609.6mm (4" x 24")



LPQ5264 Warm Barnwood Large Parquet * 101.6 × 609.6mm (4" × 24")



LPQ5263 English Oak Large Parquet * 101.6 x 609.6mm (4" x 24")



LPQ5266 Golden Oak Large Parquet * 101.6 × 609.6mm (4" × 24")



LPQ5274 Fairview Oak Large Parquet * 101.6 × 609.6mm (4" × 24")



LPQ5275 Hampstead Oak Large Parquet *
101.6 × 609.6mm (4" × 24")







PLK5264 Warm Barnwood 184.2 x 1219.2mm (725" x 48")



PLK5263 English Oak 184.2 x 1219.2mm (725" x 48")



PLK5266 Golden Oak 184.2 x 1219.2mm (7.25" x 48")



PLK5274 Fairview Oak 184.2 x 1219.2mm (725"x48")



PLK5275 Hampstead Oak 184.2 x 1219.2mm (725" x 48")

MWF5261 New England Assorted Oak 76.2/101.6/152.4 × 914.4mm (3/4/6" × 36")







PLK5261 New England 184.2 x 1219.2mm (7.25" x 48")



PLK5262 Authentic Oak 184.2 x 1219.2mm (7.25" x 48")



PLK5265 Sawn Oak * 184.2 x 1219.2mm (7.25" x 48")

76.2 / 101.6 / 152.4 x 914.4mm (3/4/6"x 36")

1!

Massimo | Wood



5276 Highfield Oak * 184.2 x 1219.2mm (7.25" x 48")



5267 Reclaimed Oak 184.2 x 1219.2mm (7.25" x 48")



5268 Hickory 184.2 x 1219.2mm (7.25" x 48")



5269 Rosewood 184.2 x 1219.2mm (7.25" x 48")



5273 Priory Oak * 184.2 x 1219.2mm (7.25" x 48")



5272 Black Ash 184.2 x 1219.2mm (7.25" x 48")

Massimo | Stone



5282 Smoked Sandstone 304.8 × 609.6mm (7.25" × 48")



5281 Limed Sandstone 304.8 x 609.6mm (7.25" x 48")



5283 Caledonia Slate 304.8 × 609.6mm (7.25" × 48")




5284 Nero Slate 304.8 x 609.6mm (7.25" x 48")

INLAY ACCESSORIES

Compatible with Original & Massimo

planks & parquets that feature a micro bevel.

| FEATURE STRIPS | MARQUETRY STRIPS |
|----------------------------------|----------------------------------|
| Strip size: 5mm x 1000mm | Strip size: 3mm x 9 |
| 0026 Gold | 2056 Maple |
| 0025 Silver | 2057 Natural Oak |
| 0025 Silver | 2058 Classic Oak |
| 0028 Black | |
| 0032 Cream | 2059 Walnut |
| 0032 Cream | CROSS GRAIN MARQUETRY STRIPS |
| 0031 Brown | Strip size: 10mm x S |
| GROUTING STRIPS | 1011 Classic Oak |
| Strip size: 3mm x 914mm 2031 Ice | |
| 2033 Pearl | 1012 Walnut Strip size: 25mm x 5 |
| 2035 Grey | |
| 2037 Coffee | 2511 Classic Oak |
| 2039 Graphite | |
| | 2512 Walnut |



0031 Brown Feature Strips used to highlight woodblock design pattern. (5175 Classic Oak)

INLAY ACCESSORIES

Compatible with Massimo planks & tiles that do not feature a micro bevel.

MARQUETRY STRIPS FEATURE STRIPS 2551 Light Oak 5103 Black **2552** Mid Oak 5110 Brown 2553 Walnut GROUTING STRIPS **2537** Beige **2536** Grey

Original



2537 Beige Grouting Strips used to highlight the double plank perimeter. (5276 Highfield Oak)

TLC ORIGINAL COLLECTION ITEM CODES

Original WEAR TILE OR PLANK STATUS GAUGE LRV NUMBER LAYER SIZE (MM) Retained 5174 Country Oak 2.0mm 0.3mm 152.4 x 914.4mm 3.34 21 Retained 5175 Classic Oak 2.0mm 0.3mm 152.4 x 914.4mm 3.34 17 Retained 5176 Cambridge Oak 2.0mm 0.3mm 152.4 x 914.4mm 3.34 24 Retained 5177 2.0mm 0.3mm 152.4 x 914.4mm 15 5179 2.0mm 0.3mm 152.4 x 914.4mm 3.34 11 Retained Walnut Retained 5181 Rustic Oak 2.0mm 0.3mm 152.4 x 914.4mm 3.34 22 Rustic Cherry 2.0mm 0.3mm 152.4 x 914.4mm 11 Retained 5183 34 Retained Rustic Birch 2.0mm 0.3mm 152.4 x 914.4mm 3.34 5191 184.2 x 1219.2mm 50 Venetian Oak 2.0mm 0.3mm 3.37 Retained Retained 5192 Grizedale Oak 2.0mm 0.3mm 184.2 x 1219.2mm 3.37 28 Retained 5193 Frosted Driftwood 2.0mm 0.3mm 184.2 x 1219.2mm 30 27 5194 3.37 Kendal Oak 2.0mm 0.3mm 184.2 x 1219.2mm Retained 19 Retained 5195 Dartmouth Oak 2.0mm 0.3mm 184.2 x 1219.2mm 3.37 5130 Kensington Oak 2.0mm 184.2 x 1219.2mm 33 5131 3.37 34 Retained Henley Oak 2.0mm 0.3mm 184.2 x 1219.2mm Retained 5132 Sun Blushed Oak 3.37 33 2.0mm 0.3mm 184.2 x 1219.2mm Retained 2.0mm 184.2 x 1219.2mm 5134 27 Retained Grey Sawn Oak 2.0mm 0.3mm 184.2 x 1219.2mm 3.37 5135 0.3mm 184.2 x 1219.2mm 3.37 26 Retained Coach House Oak 2.0mm 5136 Retained Courtyard Oak 2.0mm 0.3mm 184.2 x 1219.2mm Retained 5187 Antique Slate 2.0mm 0.3mm 304.8 x 304.8mm 3.34 13 5198 Retained Chalked Concrete 2.0mm 0.3mm 457.2 x 457.2mm 3.34 41 5185 3.34 55 Retired **Antique Travertine** 2.0mm 0.3mm 304.8 x 304.8mm Antique Lava 2.0mm 32 Retired 5189 Limestone 2.0mm 0.3mm 457.2 x 457.2mm 3.34 5197 304.8 x 304.8mm 3.34 Retired Lakeland Slate 2.0mm 0.3mm 23

TLC ORIGINAL AND MICRO BEVELLED MASSIMO ACCESSORIES ITEM CODES

| STRIP REF | STRIP NAME | WIDTH | LENGTH | GAUGE |
|-----------------|---------------|-------|--------|-------|
| Marquetry Strip |) | | | |
| 2056 | Maple | 3mm | 914mm | 2.0mm |
| 2057 | Natural Oak | 3mm | 914mm | 2.0mm |
| 2058 | Classic Oak | 3mm | 914mm | 2.0mm |
| 2059 | Walnut | 3mm | 914mm | 2.0mm |
| Grouting Strip | | | | |
| 2031 | Ice | 3mm | 914mm | 2.0mm |
| 2033 | Pearl | 3mm | 914mm | 2.0mm |
| 2035 | Grey | 3mm | 914mm | 2.0mm |
| 2037 | Coffee | 3mm | 914mm | 2.0mm |
| 2039 | Graphite | 3mm | 914mm | 2.0mm |
| Feature Strip | | | | |
| 0026 | Gold | 5mm | 1000mm | 2.0mm |
| 0025 | Silver | 5mm | 1000mm | 2.0mm |
| 0028 | Black | 5mm | 1000mm | 2.0mm |
| 0031 | Brown | 5mm | 1000mm | 2.0mm |
| 0032 | Cream | 5mm | 1000mm | 2.0mm |
| Cross Grain Ma | rquetry Strip | | | |
| 1011 | Classic Oak | 10mm | 914mm | 2.0mm |
| 2511 | Classic Oak | 25mm | 914mm | 2.0mm |
| 1012 | Walnut | 10mm | 914mm | 2.0mm |
| 2512 | Walnut | 25mm | 914mm | 2.0mm |

TLC MASSIMO COLLECTION ITEM CODES

Massimo

| Part Part | | | | | | | | |
|---|----------------------|---------|-----------------------------|----------|--------|------------------|--------|------|
| Retained | STATUS | ITEM | ITEM NAME | GAUGE | WEAR | TILE OR PLANK | ROX M2 | I DV |
| Retained | | NUMBER | | u/10 u L | LAYER | SIZE (MM) | | LIVY |
| Retained PUS-263 English Oak 2.5mm 0.55mm 184.2 x 1219.2mm 3.37 27 | Retained | PLK5261 | New England | 2.5mm | 0.55mm | 184.2 x 1219.2mm | 3.37 | 39 |
| Retained From Invent SPQ5293 English Oak Small Parquet 2.5mm 0.55mm 101.6 x 609.6 3.34 27 | Retained | PLK5262 | Authentic Oak | 2.5mm | 0.55mm | 184.2 x 1219.2mm | 3.37 | 27 |
| NEW LPQ52693 English Oak Large Parquet 2.5mm 0.55mm 101.6 x 609.6 3.34 27 Retained PLK5264 Warm Barrwood 2.5mm 0.55mm 184.2 x 1219.2mm 3.37 23 Retained Fron Invent SP05264 Warm Barrwood Small Parquet 2.5mm 0.55mm 76.2 x 228.6 3.34 23 NEW LPQ5264 Warm Barrwood Large Parquet 2.5mm 0.55mm 110.6 x 609.6 3.34 23 Retained PLK5266 Sawn Oek 2.5mm 0.55mm 184.2 x 1219.2mm 3.37 20 Retained PLK5266 Golden Oak 2.5mm 0.55mm 184.2 x 1219.2mm 3.37 27 Retained From Invent LPQ5266 Golden Oak Large Parquet 2.5mm 0.55mm 101.6 x 609.6 3.34 27 Retained 5267 Reclaimed Oak 2.5mm 0.55mm 116.4 x 1219.2mm 3.37 10 Retained 5268 Hickory 2.5mm 0.55mm 184.2 x 1219.2mm 3.37 10 < | Retained | PLK5263 | English Oak | 2.5mm | 0.55mm | 184.2 x 1219.2mm | 3.37 | 27 |
| Retained PLK5264 Warm Barnwood 2.5mm 0.55mm 184.2 x 1219.2mm 3.37 23 Retained from Invent SPQ5264 Warm Barnwood Small Parquet 2.5mm 0.55mm 76.2 x 228.6 3.34 23 NEW LPQ5264 Warm Barnwood Large Parquet 2.5mm 0.55mm 101.6 x 609.6 3.34 23 Retained PLK5266 Sawn Oak 2.5mm 0.55mm 184.2 x 1219.2mm 3.37 20 Retained PLK5266 Golden Oak 2.5mm 0.55mm 184.2 x 1219.2mm 3.37 27 NEW SPQ5266 Golden Oak Large Parquet 2.5mm 0.55mm 184.2 x 1219.2mm 3.37 27 Retained 5267 Reclained Oak 2.5mm 0.55mm 184.2 x 1219.2mm 3.37 15 Retained 5268 Hickory 2.5mm 0.55mm 184.2 x 1219.2mm 3.37 10 Retained 5269 Rosewood 2.5mm 0.55mm 184.2 x 1219.2mm 3.37 32 R | Retained From Invent | SPQ5263 | English Oak Small Parquet | 2.5mm | 0.55mm | 76.2 x 228.6 | 3.34 | 27 |
| Retained From Invent SPQ5264 Warm Barnwood Small Parquet 2,5mm 0,55mm 76,2 x 228.6 3,34 23 | NEW | LPQ5263 | English Oak Large Parquet | 2.5mm | 0.55mm | 101.6 x 609.6 | 3.34 | 27 |
| NEW LPQ5264 Warm Barnwood Large Parquet 2.5mm 0.55mm 101.6 x 609.6 3.34 23 Retained PLK5265 Sawn Oak 2.5mm 0.55mm 118.42 x 1219.2mm 3.37 20 Retained PLK5266 Golden Oak 2.5mm 0.55mm 184.2 x 1219.2mm 3.37 27 NEW SPQ5266 Golden Oak Large Parquet 2.5mm 0.55mm 101.6 x 609.6 3.34 27 Retained 5267 Reclained Oak 2.5mm 0.55mm 101.6 x 609.6 3.34 27 Retained 5267 Reclained Oak 2.5mm 0.55mm 184.2 x 1219.2mm 3.37 15 Retained 5268 Hickory 2.5mm 0.55mm 184.2 x 1219.2mm 3.37 10 Retained 5278 Rosewood 2.5mm 0.55mm 184.2 x 1219.2mm 3.37 8 Retained 5273 Priory Oak 2.5mm 0.55mm 184.2 x 1219.2mm 3.37 32 Retained From Invent | Retained | PLK5264 | Warm Barnwood | 2.5mm | 0.55mm | 184.2 x 1219.2mm | 3.37 | 23 |
| Retained PLK5265 Sawn Oak 2.5mm 0.55mm 184.2 x 1219.2mm 3.37 20 Retzined PLK5266 Golden Oak 2.5mm 0.55mm 184.2 x 1219.2mm 3.37 27 NEW SPQ5266 Golden Oak Small Parquet 2.5mm 0.55mm 76.2 x 228.6 3.34 27 Retained 5267 Reclaimed Oak 2.5mm 0.55mm 101.6 x 609.6 3.34 27 Retained 5267 Reclaimed Oak 2.5mm 0.55mm 184.2 x 1219.2mm 3.37 15 Retained 5288 Hickory 2.5mm 0.55mm 184.2 x 1219.2mm 3.37 10 Retained 5269 Rosewood 2.5mm 0.55mm 184.2 x 1219.2mm 3.37 9 Retained 5272 Black Ash 2.5mm 0.55mm 184.2 x 1219.2mm 3.37 32 Retained From Invent PLK5274 Fairview Oak 2.5mm 0.55mm 184.2 x 1219.2mm 3.37 34 Retained From Invent <t< td=""><td>Retained From Invent</td><td>SPQ5264</td><td>Warm Barnwood Small Parquet</td><td>2.5mm</td><td>0.55mm</td><td>76.2 x 228.6</td><td>3.34</td><td>23</td></t<> | Retained From Invent | SPQ5264 | Warm Barnwood Small Parquet | 2.5mm | 0.55mm | 76.2 x 228.6 | 3.34 | 23 |
| Retained PLK5266 Golden Oak 2.5mm 0.55mm 184.2 x 1219.2mm 3.37 27 NEW SPQ5266 Golden Oak Small Parquet 2.5mm 0.55mm 76.2 x 228.6 3.34 27 Retained From Invent LPQ5266 Golden Oak Large Parquet 2.5mm 0.55mm 101.6 x 609.6 3.34 27 Retained 5267 Reclaimed Oak 2.5mm 0.55mm 184.2 x 1219.2mm 3.37 15 Retained 5268 Hickory 2.5mm 0.55mm 184.2 x 1219.2mm 3.37 10 Retained 5269 Rosewood 2.5mm 0.55mm 184.2 x 1219.2mm 3.37 9 Retained 5272 Black Ash 2.5mm 0.55mm 184.2 x 1219.2mm 3.37 32 Retained From Invent PKK5274 Fairview Oak 2.5mm 0.55mm 184.2 x 1219.2mm 3.37 34 Retained From Invent LPQ5274 Fairview Oak Large Parquet 2.5mm 0.55mm 10.5 x 09.4 x 1219.2mm 3.34 34 < | NEW | LPQ5264 | Warm Barnwood Large Parquet | 2.5mm | 0.55mm | 101.6 x 609.6 | 3.34 | 23 |
| NEW SPQ5266 Golden Oak Small Parquet 2.5mm 0.55mm 76.2 x 228.6 3.34 27 Retained From Invent LPQ5266 Golden Oak Large Parquet 2.5mm 0.55mm 101.6 x 609.6 3.34 27 Retained 5267 Reclaimed Oak 2.5mm 0.55mm 184.2 x 1219.2mm 3.37 15 Retained 5268 Hickory 2.5mm 0.55mm 184.2 x 1219.2mm 3.37 10 Retained 5269 Rosewood 2.5mm 0.55mm 184.2 x 1219.2mm 3.37 9 Retained 5272 Black Ash 2.5mm 0.55mm 184.2 x 1219.2mm 3.37 32 Retained 5273 Priory Oak 2.5mm 0.55mm 184.2 x 1219.2mm 3.37 34 Retained From Invent SPQ5274 Fairview Oak Large Parquet 2.5mm 0.55mm 16.6 x 609.6 3.34 34 Retained From Invent LPQ5274 Fairview Oak Large Parquet 2.5mm 0.55mm 10.16 x 609.6 3.34 22 <td>Retained</td> <td>PLK5265</td> <td>Sawn Oak</td> <td>2.5mm</td> <td>0.55mm</td> <td>184.2 x 1219.2mm</td> <td>3.37</td> <td>20</td> | Retained | PLK5265 | Sawn Oak | 2.5mm | 0.55mm | 184.2 x 1219.2mm | 3.37 | 20 |
| Retained From Invent LPQ5266 Golden Oak Large Parquet 2.5mm 0.55mm 101.6 x 609.6 3.34 27 Retained 5267 Reclaimed Oak 2.5mm 0.55mm 184.2 x 1219.2mm 3.37 15 Retained 5268 Hickory 2.5mm 0.55mm 184.2 x 1219.2mm 3.37 10 Retained 5269 Rosewood 2.5mm 0.55mm 184.2 x 1219.2mm 3.37 9 Retained 5272 Black Ash 2.5mm 0.55mm 184.2 x 1219.2mm 3.37 8 Retained 5273 Priory Oak 2.5mm 0.55mm 184.2 x 1219.2mm 3.37 32 Retained PLK5274 Fairview Oak 2.5mm 0.55mm 184.2 x 1219.2mm 3.37 34 Retained From Invent LPQ5274 Fairview Oak Large Parquet 2.5mm 0.55mm 10.6 x 609.6 3.34 34 Retained From Invent LPQ5275 Hampstead Oak 2.5mm 0.55mm 10.56 x 009.6 3.34 22 | Retained | PLK5266 | Golden Oak | 2.5mm | 0.55mm | 184.2 x 1219.2mm | 3.37 | 27 |
| Retained 5267 Reclaimed Oak 2.5mm 0.55mm 184.2 x 1219.2mm 3.37 15 Retained 5288 Hickory 2.5mm 0.55mm 184.2 x 1219.2mm 3.37 10 Retained 5269 Rosewood 2.5mm 0.55mm 184.2 x 1219.2mm 3.37 9 Retained 5272 Black Ash 2.5mm 0.55mm 184.2 x 1219.2mm 3.37 8 Retained 5273 Priory Oak 2.5mm 0.55mm 184.2 x 1219.2mm 3.37 32 Retained PLK5274 Fairview Oak 2.5mm 0.55mm 184.2 x 1219.2mm 3.37 34 Retained From Invent LPQ5274 Fairview Oak Large Parquet 2.5mm 0.55mm 101.6 x 609.6 3.34 34 Retained PLK5275 Hampstead Oak 2.5mm 0.55mm 101.6 x 609.6 3.34 22 Retained From Invent LPQ5275 Hampstead Oak 2.5mm 0.55mm 101.6 x 609.6 3.34 22 Retained | NEW | SPQ5266 | Golden Oak Small Parquet | 2.5mm | 0.55mm | 76.2 x 228.6 | 3.34 | 27 |
| Retained 5268 Hickory 2.5mm 0.55mm 184.2 x 1219.2mm 3.37 10 Retained 5269 Rosewood 2.5mm 0.55mm 184.2 x 1219.2mm 3.37 9 Retained 5272 Black Ash 2.5mm 0.55mm 184.2 x 1219.2mm 3.37 8 Retained 5273 Priory Oak 2.5mm 0.55mm 184.2 x 1219.2mm 3.37 32 Retained PLK5274 Fairview Oak 2.5mm 0.55mm 184.2 x 1219.2mm 3.37 34 Retained From Invent SPQ5274 Fairview Oak Large Parquet 2.5mm 0.55mm 10.6 x 609.6 3.34 34 Retained PLK5275 Hampstead Oak 2.5mm 0.55mm 10.6 x 609.6 3.34 32 Retained From Invent LPQ5275 Hampstead Oak Large Parquet 2.5mm 0.55mm 10.6 x 609.6 3.34 22 Retained From Invent LPQ5275 Hampstead Oak 2.5mm 0.55mm 10.5 x 609.6 3.34 22 | Retained From Invent | LPQ5266 | Golden Oak Large Parquet | 2.5mm | 0.55mm | 101.6 x 609.6 | 3.34 | 27 |
| Retained 5269 Rosewood 2.5mm 0.55mm 184.2 x 1219.2mm 3.37 9 Retained 5272 Black Ash 2.5mm 0.55mm 184.2 x 1219.2mm 3.37 8 Retained 5273 Priory Oak 2.5mm 0.55mm 184.2 x 1219.2mm 3.37 32 Retained PLK5274 Fairview Oak 2.5mm 0.55mm 184.2 x 1219.2mm 3.37 34 Retained From Invent SPQ5274 Fairview Oak Small Parquet 2.5mm 0.55mm 10.6 x 609.6 3.34 34 Retained From Invent LPQ5274 Fairview Oak Large Parquet 2.5mm 0.55mm 10.16 x 609.6 3.34 34 Retained From Invent SPQ5275 Hampstead Oak 2.5mm 0.55mm 10.6 x 609.6 3.34 22 Retained From Invent LPQ5275 Hampstead Oak Large Parquet 2.5mm 0.55mm 10.16 x 609.6 3.34 22 Retained From Invent LPQ5277 Blond Oak 2.5mm 0.55mm 10.16 x 609.6 3.34 36 | Retained | 5267 | Reclaimed Oak | 2.5mm | 0.55mm | 184.2 x 1219.2mm | 3.37 | 15 |
| Retained 5272 Black Ash 2.5mm 0.55mm 184.2 x 1219.2mm 3.37 8 Retained 5273 Priory Oak 2.5mm 0.55mm 184.2 x 1219.2mm 3.37 32 Retained PLK5274 Fairview Oak 2.5mm 0.55mm 184.2 x 1219.2mm 3.37 34 Retained From Invent SPQ5274 Fairview Oak Large Parquet 2.5mm 0.55mm 10.6 x 609.6 3.34 34 Retained From Invent LPQ5274 Fairview Oak Large Parquet 2.5mm 0.55mm 10.6 x 609.6 3.34 34 Retained From Invent LPQ5275 Hampstead Oak 2.5mm 0.55mm 11.6 x 609.6 3.34 22 Retained From Invent SPQ5275 Hampstead Oak Small Parquet 2.5mm 0.55mm 10.6 x 609.6 3.34 22 Retained From Invent LPQ5275 Hampstead Oak Large Parquet 2.5mm 0.55mm 10.1 x 2 x 22.8.6 3.34 22 Retained From Invent MEW PLK5277 Blond Oak Small Parquet 2.5mm <td< td=""><td>Retained</td><td>5268</td><td>Hickory</td><td>2.5mm</td><td>0.55mm</td><td>184.2 x 1219.2mm</td><td>3.37</td><td>10</td></td<> | Retained | 5268 | Hickory | 2.5mm | 0.55mm | 184.2 x 1219.2mm | 3.37 | 10 |
| Retained 5273 Priory Oak 2.5mm 0.55mm 184.2 x 1219.2mm 3.37 32 Retained PLK5274 Fairview Oak 2.5mm 0.55mm 184.2 x 1219.2mm 3.37 34 Retained From Invent SPQ5274 Fairview Oak Small Parquet 2.5mm 0.55mm 76.2 x 228.6 3.34 34 Retained From Invent LPQ5274 Fairview Oak Large Parquet 2.5mm 0.55mm 101.6 x 609.6 3.34 34 Retained PLK5275 Hampstead Oak 2.5mm 0.55mm 184.2 x 1219.2mm 3.37 22 Retained From Invent SPQ5275 Hampstead Oak Large Parquet 2.5mm 0.55mm 101.6 x 609.6 3.34 22 Retained From Invent LPQ5275 Hampstead Oak Large Parquet 2.5mm 0.55mm 101.6 x 609.6 3.34 22 Retained 5276 Highfield Oak 2.5mm 0.55mm 11.6 x 201.4 mm 3.37 29 NEW PLK5277 Blond Oak Small Parquet 2.5mm 0.55mm 101.6 x 914.4 mm <td>Retained</td> <td>5269</td> <td>Rosewood</td> <td>2.5mm</td> <td>0.55mm</td> <td>184.2 x 1219.2mm</td> <td>3.37</td> <td>9</td> | Retained | 5269 | Rosewood | 2.5mm | 0.55mm | 184.2 x 1219.2mm | 3.37 | 9 |
| Retained PLK5274 Fairview Oak 2.5mm 0.55mm 184.2 x 1219.2mm 3.37 34 Retained From Invent SPQ5274 Fairview Oak Small Parquet 2.5mm 0.55mm 76.2 x 228.6 3.34 34 Retained From Invent LPQ5274 Fairview Oak Large Parquet 2.5mm 0.55mm 10.6 x 609.6 3.34 34 Retained From Invent SPQ5275 Hampstead Oak 2.5mm 0.55mm 184.2 x 1219.2mm 3.37 22 Retained From Invent LPQ5275 Hampstead Oak Large Parquet 2.5mm 0.55mm 10.6 x 609.6 3.34 22 Retained From Invent LPQ5275 Hampstead Oak Large Parquet 2.5mm 0.55mm 10.6 x 609.6 3.34 22 Retained 5276 Highfield Oak 2.5mm 0.55mm 184.2 x 1219.2mm 3.37 36 NEW PLK5277 Blond Oak 2.5mm 0.55mm 184.2 x 1219.2mm 3.37 36 NEW LPQ5277 Blond Oak Small Parquet 2.5mm 0.55mm 10.6 x 92 x | Retained | 5272 | Black Ash | 2.5mm | 0.55mm | 184.2 x 1219.2mm | 3.37 | 8 |
| Retained From Invent SPQ5274 Fairview Oak Small Parquet 2.5mm 0.55mm 76.2 x 228.6 3.34 34 Retained From Invent LPQ5274 Fairview Oak Large Parquet 2.5mm 0.55mm 101.6 x 609.6 3.34 34 Retained PLK5275 Hampstead Oak 2.5mm 0.55mm 184.2 x 1219.2mm 3.37 22 Retained From Invent SPQ5275 Hampstead Oak Large Parquet 2.5mm 0.55mm 76.2 x 228.6 3.34 22 Retained From Invent LPQ5275 Hampstead Oak Large Parquet 2.5mm 0.55mm 101.6 x 609.6 3.34 22 Retained 5276 Highfield Oak 2.5mm 0.55mm 184.2 x 1219.2mm 3.37 29 NEW PLK5277 Blond Oak 2.5mm 0.55mm 184.2 x 1219.2mm 3.37 36 NEW LPQ5277 Blond Oak Small Parquet 2.5mm 0.55mm 101.6 x 90.6 3.34 36 Retained From Invent MWF5261 New England Assorted Oak 2.5mm 0.55mm 10 | Retained | 5273 | Priory Oak | 2.5mm | 0.55mm | 184.2 x 1219.2mm | 3.37 | 32 |
| Retained From Invent LPQ5274 Fairview Oak Large Parquet 2.5mm 0.55mm 101.6 x 609.6 3.34 34 Retained PLK5275 Hampstead Oak 2.5mm 0.55mm 184.2 x 1219.2mm 3.37 22 Retained From Invent SPQ5275 Hampstead Oak Small Parquet 2.5mm 0.55mm 76.2 x 228.6 3.34 22 Retained From Invent LPQ5275 Hampstead Oak Large Parquet 2.5mm 0.55mm 101.6 x 609.6 3.34 22 Retained 5276 Highfield Oak 2.5mm 0.55mm 1184.2 x 1219.2mm 3.37 29 NEW PLK5277 Blond Oak 2.5mm 0.55mm 184.2 x 1219.2mm 3.37 36 NEW SPQ5277 Blond Oak Small Parquet 2.5mm 0.55mm 101.6 x 609.6 3.34 36 NEW LPQ5277 Blond Oak Large Parquet 2.5mm 0.55mm 101.6 x 914.4mm 3.62 39 Retained From Invent MWF5261 New England Assorted Oak 2.5mm 0.55mm 101.6 x 914.4mm </td <td>Retained</td> <td>PLK5274</td> <td>Fairview Oak</td> <td>2.5mm</td> <td>0.55mm</td> <td>184.2 x 1219.2mm</td> <td>3.37</td> <td>34</td> | Retained | PLK5274 | Fairview Oak | 2.5mm | 0.55mm | 184.2 x 1219.2mm | 3.37 | 34 |
| Retained PLK5275 Hampstead Oak 2.5mm 0.55mm 184.2 x 1219.2mm 3.37 22 Retained From Invent SPQ5275 Hampstead Oak Small Parquet 2.5mm 0.55mm 76.2 x 228.6 3.34 22 Retained From Invent LPQ5275 Hampstead Oak Large Parquet 2.5mm 0.55mm 101.6 x 609.6 3.34 22 Retained 5276 Highfield Oak 2.5mm 0.55mm 184.2 x 1219.2mm 3.37 29 NEW PLK5277 Blond Oak 2.5mm 0.55mm 184.2 x 1219.2mm 3.37 36 NEW SPQ5277 Blond Oak Small Parquet 2.5mm 0.55mm 101.6 x 609.6 3.34 36 NEW LPQ5277 Blond Oak Large Parquet 2.5mm 0.55mm 101.6 x 609.6 3.34 36 Retained From Invent MWF5261 New England Assorted Oak 2.5mm 0.55mm 101.6 x 914.4mm 3.62 39 Retained From Invent MWF5262 Authentic Assorted Oak 2.5mm 0.55mm 101.6 x 914.4mm | Retained From Invent | SPQ5274 | Fairview Oak Small Parquet | 2.5mm | 0.55mm | 76.2 x 228.6 | 3.34 | 34 |
| Retained From Invent SPQ5275 Hampstead Oak Small Parquet 2.5mm 0.55mm 76.2 x 228.6 3.34 22 Retained From Invent LPQ5275 Hampstead Oak Large Parquet 2.5mm 0.55mm 101.6 x 609.6 3.34 22 Retained 5276 Highfield Oak 2.5mm 0.55mm 184.2 x 1219.2mm 3.37 29 NEW PLK5277 Blond Oak 2.5mm 0.55mm 184.2 x 1219.2mm 3.37 36 NEW SPQ5277 Blond Oak Small Parquet 2.5mm 0.55mm 101.6 x 609.6 3.34 36 NEW LPQ5277 Blond Oak Large Parquet 2.5mm 0.55mm 101.6 x 609.6 3.34 36 Retained From Invent MWF5261 New England Assorted Oak 2.5mm 0.55mm 101.6 x 914.4mm 3.62 39 Retained From Invent MWF5262 Authentic Assorted Oak 2.5mm 0.55mm 101.6 x 914.4mm 3.62 27 Retained From Invent MWF5265 Sawn Assorted Oak 2.5mm 0.55mm 101.6 x | Retained From Invent | LPQ5274 | Fairview Oak Large Parquet | 2.5mm | 0.55mm | 101.6 x 609.6 | 3.34 | 34 |
| Retained From Invent LPQ5275 Hampstead Oak Large Parquet 2.5mm 0.55mm 101.6 x 609.6 3.34 22 Retained 5276 Highfield Oak 2.5mm 0.55mm 184.2 x 1219.2mm 3.37 29 NEW PLK5277 Blond Oak 2.5mm 0.55mm 184.2 x 1219.2mm 3.37 36 NEW SPQ5277 Blond Oak Small Parquet 2.5mm 0.55mm 101.6 x 609.6 3.34 36 NEW LPQ5277 Blond Oak Large Parquet 2.5mm 0.55mm 101.6 x 609.6 3.34 36 Retained From Invent MWF5261 New England Assorted Oak 2.5mm 0.55mm 101.6 x 914.4mm 3.62 39 Retained From Invent MWF5262 Authentic Assorted Oak 2.5mm 0.55mm 101.6 x 914.4mm 3.62 27 Retained From Invent MWF5265 Sawn Assorted Oak 2.5mm 0.55mm 101.6 x 914.4mm 3.62 20 Retained 5281 Limed Sandstone 2.5mm 0.55mm 304.8 x 609.6mm <t< td=""><td>Retained</td><td>PLK5275</td><td>Hampstead Oak</td><td>2.5mm</td><td>0.55mm</td><td>184.2 x 1219.2mm</td><td>3.37</td><td>22</td></t<> | Retained | PLK5275 | Hampstead Oak | 2.5mm | 0.55mm | 184.2 x 1219.2mm | 3.37 | 22 |
| Retained 5276 Highfield Oak 2.5mm 0.55mm 184.2 x 1219.2mm 3.37 29 NEW PLK5277 Blond Oak 2.5mm 0.55mm 184.2 x 1219.2mm 3.37 36 NEW SPQ5277 Blond Oak Small Parquet 2.5mm 0.55mm 76.2 x 228.6 3.34 36 NEW LPQ5277 Blond Oak Large Parquet 2.5mm 0.55mm 101.6 x 609.6 3.34 36 Retained From Invent MWF5261 New England Assorted Oak 2.5mm 0.55mm 101.6 x 914.4mm 3.62 39 Retained From Invent MWF5262 Authentic Assorted Oak 2.5mm 0.55mm 101.6 x 914.4mm 3.62 27 Retained From Invent MWF5265 Sawn Assorted Oak 2.5mm 0.55mm 101.6 x 914.4mm 3.62 20 Retained 5281 Limed Sandstone 2.5mm 0.55mm 304.8 x 609.6mm 3.34 26 Retained 5282 Smoked Sandstone 2.5mm 0.55mm 304.8 x 609.6mm 3.34 1 | Retained From Invent | SPQ5275 | Hampstead Oak Small Parquet | 2.5mm | 0.55mm | 76.2 x 228.6 | 3.34 | 22 |
| NEW PLK5277 Blond Oak 2.5mm 0.55mm 184.2 x 1219.2mm 3.37 36 NEW SPQ5277 Blond Oak Small Parquet 2.5mm 0.55mm 76.2 x 228.6 3.34 36 NEW LPQ5277 Blond Oak Large Parquet 2.5mm 0.55mm 101.6 x 609.6 3.34 36 Retained From Invent MWF5261 New England Assorted Oak 2.5mm 0.55mm 101.6 x 914.4mm 3.62 39 Retained From Invent MWF5262 Authentic Assorted Oak 2.5mm 0.55mm 101.6 x 914.4mm 3.62 27 Retained From Invent MWF5265 Sawn Assorted Oak 2.5mm 0.55mm 101.6 x 914.4mm 3.62 20 Retained 5281 Limed Sandstone 2.5mm 0.55mm 304.8 x 609.6mm 3.34 26 Retained 5282 Smoked Sandstone 2.5mm 0.55mm 304.8 x 609.6mm 3.34 17 Retained 5283 Caledonia Slate 2.5mm 0.55mm 304.8 x 609.6mm 3.34 | Retained From Invent | LPQ5275 | Hampstead Oak Large Parquet | 2.5mm | 0.55mm | 101.6 x 609.6 | 3.34 | 22 |
| NEW SPQ5277 Blond Oak Small Parquet 2.5mm 0.55mm 76.2 x 228.6 3.34 36 NEW LPQ5277 Blond Oak Large Parquet 2.5mm 0.55mm 101.6 x 609.6 3.34 36 Retained From Invent MWF5261 New England Assorted Oak 2.5mm 0.55mm 101.6 x 914.4mm 3.62 39 Retained From Invent MWF5262 Authentic Assorted Oak 2.5mm 0.55mm 101.6 x 914.4mm 3.62 27 Retained From Invent MWF5265 Sawn Assorted Oak 2.5mm 0.55mm 101.6 x 914.4mm 3.62 20 Retained 5281 Limed Sandstone 2.5mm 0.55mm 304.8 x 609.6mm 3.34 26 Retained 5282 Smoked Sandstone 2.5mm 0.55mm 304.8 x 609.6mm 3.34 17 Retained 5283 Caledonia Slate 2.5mm 0.55mm 304.8 x 609.6mm 3.34 11 | Retained | 5276 | Highfield Oak | 2.5mm | 0.55mm | 184.2 x 1219.2mm | 3.37 | 29 |
| NEW LPQ5277 Blond Oak Large Parquet 2.5mm 0.55mm 101.6 x 609.6 3.34 36 Retained From Invent MWF5261 New England Assorted Oak 2.5mm 0.55mm 101.6 x 914.4mm 3.62 39 Retained From Invent MWF5262 Authentic Assorted Oak 2.5mm 0.55mm 101.6 x 914.4mm 3.62 27 Retained From Invent MWF5265 Sawn Assorted Oak 2.5mm 0.55mm 101.6 x 914.4mm 3.62 20 Retained 5281 Limed Sandstone 2.5mm 0.55mm 304.8 x 609.6mm 3.34 26 Retained 5282 Smoked Sandstone 2.5mm 0.55mm 304.8 x 609.6mm 3.34 17 Retained 5283 Caledonia Slate 2.5mm 0.55mm 304.8 x 609.6mm 3.34 11 | NEW | PLK5277 | Blond Oak | 2.5mm | 0.55mm | 184.2 x 1219.2mm | 3.37 | 36 |
| Retained From Invent MWF5261 New England Assorted Oak 2.5mm 0.55mm "76.2 x 914.4mm 101.6 x 914.4mm 152.4 x 914.4mm" 3.62 39 Retained From Invent MWF5262 Authentic Assorted Oak 2.5mm 0.55mm 101.6 x 914.4mm 101.6 x 914.4mm 152.4 x 914.4mm 3.62 27 Retained From Invent MWF5265 Sawn Assorted Oak 2.5mm 0.55mm 101.6 x 914.4mm 101.6 x 914.4mm 101.6 x 914.4mm 3.62 20 Retained 5281 Limed Sandstone 2.5mm 0.55mm 304.8 x 609.6mm 3.34 26 Retained 5282 Smoked Sandstone 2.5mm 0.55mm 304.8 x 609.6mm 3.34 17 Retained 5283 Caledonia Slate 2.5mm 0.55mm 304.8 x 609.6mm 3.34 11 | NEW | SPQ5277 | Blond Oak Small Parquet | 2.5mm | 0.55mm | 76.2 x 228.6 | 3.34 | 36 |
| Retained From Invent MWF5261 New England Assorted Oak 2.5mm 0.55mm 101.6 x 914.4mm 152.4 x 914.4mm 3.62 39 Retained From Invent MWF5262 Authentic Assorted Oak 2.5mm 0.55mm 101.6 x 914.4mm 101.6 x 914.4mm 152.4 x 914.4mm 3.62 27 Retained From Invent MWF5265 Sawn Assorted Oak 2.5mm 0.55mm 101.6 x 914.4mm 101.6 x 914.4mm 3.62 20 Retained 5281 Limed Sandstone 2.5mm 0.55mm 304.8 x 609.6mm 3.34 26 Retained 5282 Smoked Sandstone 2.5mm 0.55mm 304.8 x 609.6mm 3.34 17 Retained 5283 Caledonia Slate 2.5mm 0.55mm 304.8 x 609.6mm 3.34 11 | NEW | LPQ5277 | Blond Oak Large Parquet | 2.5mm | 0.55mm | 101.6 x 609.6 | 3.34 | 36 |
| Retained From Invent MWF5262 Authentic Assorted Oak 2.5mm 0.55mm 101.6 x 914.4mm 152.4 x 914.4mm 3.62 27 Retained From Invent MWF5265 Sawn Assorted Oak 2.5mm 0.55mm 101.6 x 914.4mm 101.6 x 914.4mm 101.6 x 914.4mm 3.62 20 Retained 5281 Limed Sandstone 2.5mm 0.55mm 304.8 x 609.6mm 3.34 26 Retained 5282 Smoked Sandstone 2.5mm 0.55mm 304.8 x 609.6mm 3.34 17 Retained 5283 Caledonia Slate 2.5mm 0.55mm 304.8 x 609.6mm 3.34 11 | Retained From Invent | MWF5261 | New England Assorted Oak | 2.5mm | 0.55mm | 101.6 x 914.4mm | 3.62 | 39 |
| Retained From Invent MWF5265 Sawn Assorted Oak 2.5mm 0.55mm 101.6 x 914.4mm 152.4 x 914.4mm 3.62 20 Retained 5281 Limed Sandstone 2.5mm 0.55mm 304.8 x 609.6mm 3.34 26 Retained 5282 Smoked Sandstone 2.5mm 0.55mm 304.8 x 609.6mm 3.34 17 Retained 5283 Caledonia Slate 2.5mm 0.55mm 304.8 x 609.6mm 3.34 11 | Retained From Invent | MWF5262 | Authentic Assorted Oak | 2.5mm | 0.55mm | 101.6 x 914.4mm | 3.62 | 27 |
| Retained 5282 Smoked Sandstone 2.5mm 0.55mm 304.8 x 609.6mm 3.34 17 Retained 5283 Caledonia Slate 2.5mm 0.55mm 304.8 x 609.6mm 3.34 11 | Retained From Invent | MWF5265 | Sawn Assorted Oak | 2.5mm | 0.55mm | 101.6 x 914.4mm | 3.62 | 20 |
| Retained 5283 Caledonia Slate 2.5mm 0.55mm 304.8 x 609.6mm 3.34 11 | Retained | 5281 | Limed Sandstone | 2.5mm | 0.55mm | 304.8 x 609.6mm | 3.34 | 26 |
| | Retained | 5282 | Smoked Sandstone | 2.5mm | 0.55mm | 304.8 x 609.6mm | 3.34 | 17 |
| Retained 5284 Nero Slate 2.5mm 0.55mm 304.8 x 609.6mm 3.34 9 | Retained | 5283 | Caledonia Slate | 2.5mm | 0.55mm | 304.8 x 609.6mm | 3.34 | 11 |
| | Retained | 5284 | Nero Slate | 2.5mm | 0.55mm | 304.8 x 609.6mm | 3.34 | 9 |

TLC MASSIMO DISCONTINUATIONS

| л | а | c | C 1 | m | \cap |
|---|---|---|------------|---|--------|

| STATUS | ITEM NUMBER | ITEM NAME | GAUGE | WEAR LAYER | TILE OR PLANK SIZE (MM) | BOX M² | LRV |
|---------|----------------|----------------------------|-------|---------------|---|--------|-----|
| Retired | 5333 | Tudor Oak Parquet | 2.5mm | 0.55mm | 76.2 x 228.6mm | 3.34 | 9 |
| Retired | 5335 | Bronzed Oak Parquet | 2.5mm | 0.55mm | 101.6 x 609.6mm | 3.34 | 10 |
| Retired | 5339 | Savoy Sandstone Parquet | 2.5mm | 0.55mm | 76.2 x 228.6mm | 3.34 | 26 |
| Retired | 5340 | Black Slate Parquet | 2.5mm | 0.55mm | 76.2 x 228.6mm | 3.34 | 9 |
| Retired | 5341 | Cottage Sandstone Parquet | 2.5mm | 0.55mm | 101.6 x 609.6mm | 3.34 | 17 |
| Retired | 5342 | Smokey Slate Parquet | 2.5mm | 0.55mm | 101.6 x 609.6mm | 3.34 | 11 |
| Retired | 5343 | Cottage Sandstone Assorted | 2.5mm | 0.55mm | 152.4 x 609.6mm 304.8 x 304.8mm 304.8 x 609.6mm | 3.34 | 17 |
| Retired | 5344 | Smokey Slate Assorted | 2.5mm | 0.55mm | 152.4 x 609.6mm 304.8 x 304.8mm 304.8 x 609.6mm | 3.34 | 11 |

TLC MASSIMO INLAY ACCESSORIES ITEM CODES

| STRIP REF | STRIP NAME | WIDTH | LENGTH | GAUGE |
|-----------------|------------|-------|--------|-------|
| Marquetry Strip | | | | |
| 2551 | Light Oak | 5mm | 914mm | 2.5mm |
| 2552 | Mid Oak | 5mm | 914mm | 2.5mm |
| 2553 | Walnut | 5mm | 914mm | 2.5mm |
| Grouting Strip | | | | |
| 2537 | Beige | 5mm | 914mm | 2.5mm |
| 2536 | Grey | 5mm | 914mm | 2.5mm |
| 2538 | Black | 5mm | 914mm | 2.5mm |
| Feature Strip | | | | |
| 5100 | Silver | 5mm | 1000mm | 2.5mm |
| 5103 | Black | 5mm | 1000mm | 2.5mm |
| 5110 | Brown | 5mm | 1000mm | 2.5mm |

The TLC marketing literature contains a suite of stunning installation photography developed in line with key interior design trends in both the residential and commercial markets. Every new image has been selected to span a variety of rooms and showcase the collections in an array of interior styles and design schemes. There has been a particular focus on displaying the new parquet designs in a variety of layouts, lighting and directions.

Please note, particular care has been taken in the photography, to reflect shades that contain high variation in pattern and design as a feature of the product.

Massimo






Massimo









Massimo



























Design Floor LAYOUTS

The TLC brochure contains a selection of parquet, full plank and tile design floors that require little to no cutting, offering more variety of laying patterns without the hassle of ordering a bespoke design. There are many more ways to lay floors, including inventive use of inlay accessories. We also introduced some parquet laying patterns to support the new designs.

PARQUET



HERRINGBONE
Shade shown SPQ5263 English Oak Small Parquet



WOODBLOCK
Shade shown SPQ5266 Golden Oak Small Parquet



DOUBLE PLANK CROSS SECTIONShade shown SPQ5277 Blond Oak Small Parquet



SINGLE PLANK CROSS SECTION
Shade shown LPQ5274 Fairview Oak Large Parquet



OFFSET PARALLEL
Shade shown LPQ5275 Hampstead Oak Large
Parquet



PARQUET LAID HERRINGBONE
WITH INLAY STRIP & PERIMETER PLANK
Shade shown PLK & LPQ5264 Warm Barnwood

WOOD



STRAIGHT LAID
Shade shown 5193 Frosted Driftwood



SHIPS DECKING
Shade shown 5192 Grizedale Oak with Walnut
Marquetry Strip



STRAIGHT LAID WITH
HERRINGBONE FEATURE
Shade shown SPQ & PLK5274 Fairview Oak



DOUBLE PLANK HERRINGBONE Shade shown 5273 Priory Oak



STRAIGHT LAID AT 45° Shade shown 5133 Chester Oak





STRAIGHT LAID
Shade shown 5198 Chalked Concrete



STONE

BRICKWORK Shade shown 5283 Caledonia Slate



HERRINGBONE
Shade shown 5282 Smoked Sandstone with Mid Oak
Marquetry Strip

Brochure (20/box)

The 104-page brochure features installation shots for every shade alongside technical information and instructions on how to order a TLC floor.







Shadecard (9/box)

6 page shadecard with a brochure insert.

Displaying samples of the entire range with a central focus on the middle panel showcasing the six Massimo designs, available in small parquet, large parquet and full plank. The reverse side also details the full product specification. The updated shadecard contains a key to identify designs with high shade variation.









Large Retail Presenter (2/box)

Designed to showcase the entire collection in a large format, with a central focus on the middle panel the presenter displays full-width samples of the six Massimo designs, available in small parquet, large parquet and full plank. As well as showing larger pieces of every design in both the Original and Massimo collection.





Parquet Presentation Box (1/box)

A brand new concept displaying all twelve parquets, stacked by size in high-density foam. The box allows quick access to samples that can be taken out and demonstrated to customers to guide them through design shades and scale.





Retail Display Unit

We are developing a new retail display unit featuring double-sided display boards of every shade in the collection.





WEBSITE

The website www.tlcfloors.co.uk features relevant information, product scans, technical specifications and a function to find the nearest TLC contractor.

www.tlcfloors.co.uk










We use the hashtag #ticivt TLC images should be tagged with this hashtag and mentioned at **@tlclvt**





Thornes Farm Way, Leeds, LS9 0AN, Tel: 0113 380 2700 sales@mercado.co.uk samples@tlcflooring.co.uk

www.tlcfloors.co.uk

